

Hasil Analisis Data Penelitian

1. Faktor Internal

a. Sikap

Descriptives

Descriptive Statistics

| | N | Range | Minimum | Maximum | Sum | Mean | | Std. Deviation | Variance |
|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|----------------|-----------|
| | Statistic | Statistic | Statistic | Statistic | Statistic | Statistic | Std. Error | Statistic | Statistic |
| | c | c | Statistic | Statistic | c | c | Error | Statistic | Statistic |
| SIKAP | 191 | 17.00 | 22.00 | 39.00 | 5915.00 | 30.9686 | .22626 | 3.12697 | 9.778 |
| Valid N (listwise) | 191 | | | | | | | | |

Frequencies

Statistics

| SIKAP | | |
|--------------------|---------|---------|
| N | Valid | 191 |
| | Missing | 0 |
| Mean | | 30.9686 |
| Std. Error of Mean | | .22626 |
| Median | | 31.0000 |
| Mode | | 30.00 |
| Std. Deviation | | 3.12697 |
| Variance | | 9.778 |
| Minimum | | 22.00 |
| Maximum | | 39.00 |
| Sum | | 5915.00 |
| Percentiles | 25 | 29.0000 |
| | 50 | 31.0000 |
| | 75 | 33.0000 |

SIKAP

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|-----------------------|
| Valid | 22.00 | 1 | .5 | .5 | .5 |
| | 23.00 | 1 | .5 | .5 | 1.0 |
| | 24.00 | 1 | .5 | .5 | 1.6 |
| | 25.00 | 4 | 2.1 | 2.1 | 3.7 |
| | 26.00 | 5 | 2.6 | 2.6 | 6.3 |
| | 27.00 | 9 | 4.7 | 4.7 | 11.0 |
| | 28.00 | 18 | 9.4 | 9.4 | 20.4 |
| | 29.00 | 20 | 10.5 | 10.5 | 30.9 |
| | 30.00 | 35 | 18.3 | 18.3 | 49.2 |
| | 31.00 | 22 | 11.5 | 11.5 | 60.7 |
| | 32.00 | 20 | 10.5 | 10.5 | 71.2 |
| | 33.00 | 15 | 7.9 | 7.9 | 79.1 |
| | 34.00 | 10 | 5.2 | 5.2 | 84.3 |
| | 35.00 | 10 | 5.2 | 5.2 | 89.5 |
| | 36.00 | 13 | 6.8 | 6.8 | 96.3 |
| | 37.00 | 3 | 1.6 | 1.6 | 97.9 |
| | 38.00 | 3 | 1.6 | 1.6 | 99.5 |
| | 39.00 | 1 | .5 | .5 | 100.0 |
| | Total | 191 | 100.0 | 100.0 | |

Frequencies

Statistics

KATEGORISAS

| | | |
|---|---------|-----|
| N | Valid | 191 |
| | Missing | 0 |

KATEGORISASI

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|--------------|-----------|---------|---------------|--------------------|
| Valid >34,74 | 30 | 15.7 | 15.7 | 15.7 |
| 26,26-<30,5 | 86 | 45.0 | 45.0 | 60.7 |
| 30,5-34,74 | 65 | 34.0 | 34.0 | 94.8 |
| <26,26 | 10 | 5.2 | 5.2 | 100.0 |
| Total | 191 | 100.0 | 100.0 | |

b. Minat**Frequencies****Statistics**

MINAT

| | | |
|--------------------|---------|---------|
| N | Valid | 191 |
| | Missing | 0 |
| Mean | | 12.4084 |
| Std. Error of Mean | | .11187 |
| Median | | 12.0000 |
| Mode | | 12.00 |
| Std. Deviation | | 1.54604 |
| Variance | | 2.390 |
| Range | | 9.00 |
| Minimum | | 7.00 |
| Maximum | | 16.00 |
| Sum | | 2370.00 |
| Percentiles | 25 | 12.0000 |
| | 50 | 12.0000 |
| | 75 | 13.0000 |

Frequencies

Statistics

KATEGORISASI

| | | |
|---|---------|-----|
| N | Valid | 191 |
| | Missing | 0 |

KATEGORISASI

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|------------|-----------|---------|---------------|--------------------|
| Valid | >13,5 | 46 | 24.1 | 24.1 | 24.1 |
| | 11,5-13,5 | 106 | 55.5 | 55.5 | 79.6 |
| | 9,25-<11,5 | 33 | 17.3 | 17.3 | 96.9 |
| | <9,25 | 6 | 3.1 | 3.1 | 100.0 |
| | Total | 191 | 100.0 | 100.0 | |

c. Motivasi Internal

Descriptives

Descriptive Statistics

| | N | Range | Minimum | Maximum | Sum | Mean | | Std. Deviation | Variance |
|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|----------------|-----------|
| | Statistic | Statistic | Statistic | Statistic | Statistic | Statistic | Std. Error | Statistic | Statistic |
| MOTIVASI | 191 | 6.00 | 6.00 | 12.00 | 1885.00 | 9.8691 | .09416 | 1.30127 | 1.693 |
| Valid N (listwise) | 191 | | | | | | | | |

Frequencies

Statistics

MOTIVASI

| | | |
|------|---------|--------|
| N | Valid | 191 |
| | Missing | 0 |
| Mean | | 9.8691 |

| | | |
|--------------------|----|---------|
| Std. Error of Mean | | .09416 |
| Median | | 10.0000 |
| Mode | | 10.00 |
| Std. Deviation | | 1.30127 |
| Variance | | 1.693 |
| Range | | 6.00 |
| Minimum | | 6.00 |
| Maximum | | 12.00 |
| Sum | | 1885.00 |
| Percentiles | 25 | 9.0000 |
| | 50 | 10.0000 |
| | 75 | 11.0000 |

MOTIVASI

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 6.00 | 1 | .5 | .5 | .5 |
| | 7.00 | 5 | 2.6 | 2.6 | 3.1 |
| | 8.00 | 23 | 12.0 | 12.0 | 15.2 |
| | 9.00 | 44 | 23.0 | 23.0 | 38.2 |
| | 10.00 | 56 | 29.3 | 29.3 | 67.5 |
| | 11.00 | 40 | 20.9 | 20.9 | 88.5 |
| | 12.00 | 22 | 11.5 | 11.5 | 100.0 |
| | Total | 191 | 100.0 | 100.0 | |

Frequencies

Statistics

KATEGORISASI

| | | |
|---|---------|-----|
| N | Valid | 191 |
| | Missing | 0 |

KATEGORISASI

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|--------|-----------|---------|---------------|--------------------|
| Valid | >10,5 | 62 | 32.5 | 32.5 | 32.5 |
| | 9-10,5 | 99 | 51.8 | 51.8 | 84.3 |
| | 7,5-<9 | 25 | 13.1 | 13.1 | 97.4 |
| | <7,5 | 5 | 2.6 | 2.6 | 100.0 |
| | Total | 191 | 100.0 | 100.0 | |

d. Perhatian**Descriptives****Descriptive Statistics**

| | N | Range | Minimum | Maximum | Sum | Mean | | Std. Deviation | Variance |
|-----------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|----------------|-----------|
| | Statistic | Statistic | Statistic | Statistic | Statistic | Statistic | Std. Error | Statistic | Statistic |
| PERHATIAN | 191 | 9.00 | 9.00 | 18.00 | 2783.00 | 14.5707 | .11390 | 1.57413 | 2.478 |
| Valid N (listwise) | 191 | | | | | | | | |

Frequencies**Statistics**

| PERHATIAN | | |
|--------------------|---------|---------|
| N | Valid | 191 |
| | Missing | 0 |
| Mean | | 14.5707 |
| Std. Error of Mean | | .11390 |
| Median | | 15.0000 |
| Mode | | 15.00 |
| Std. Deviation | | 1.57413 |
| Variance | | 2.478 |
| Range | | 9.00 |
| Minimum | | 9.00 |

| | | |
|-------------|----|---------|
| Maximum | | 18.00 |
| Sum | | 2783.00 |
| Percentiles | 25 | 14.0000 |
| | 50 | 15.0000 |
| | 75 | 16.0000 |

PERHATIAN

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 9.00 | 2 | 1.0 | 1.0 | 1.0 |
| | 11.00 | 6 | 3.1 | 3.1 | 4.2 |
| | 12.00 | 7 | 3.7 | 3.7 | 7.9 |
| | 13.00 | 24 | 12.6 | 12.6 | 20.4 |
| | 14.00 | 49 | 25.7 | 25.7 | 46.1 |
| | 15.00 | 55 | 28.8 | 28.8 | 74.9 |
| | 16.00 | 29 | 15.2 | 15.2 | 90.1 |
| | 17.00 | 14 | 7.3 | 7.3 | 97.4 |
| | 18.00 | 5 | 2.6 | 2.6 | 100.0 |
| | Total | 191 | 100.0 | 100.0 | |

Frequencies

Statistics

KATEGORISASI

| | | |
|---|---------|-----|
| N | Valid | 191 |
| | Missing | 0 |

KATEGORISASI

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------|-----------|---------|---------------|--------------------|
| Valid | >15,75 | 48 | 25.1 | 25.1 | 25.1 |
| | 13,5-15,75 | 104 | 54.5 | 54.5 | 79.6 |
| | 11,25-<13,5 | 31 | 16.2 | 16.2 | 95.8 |
| | <11,25 | 8 | 4.2 | 4.2 | 100.0 |
| | Total | 191 | 100.0 | 100.0 | |

e. Pengalaman**Descriptives****Descriptive Statistics**

| | N | Range | Minimum | Maximum | Sum | Mean | | Std. Deviation | Variance |
|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|----------------|-----------|
| | Statistic | Statistic | Statistic | Statistic | Statistic | Statistic | Std. Error | Statistic | Statistic |
| | | | | | | Statistic | | | |
| PENGALAMAIN TER | 191 | 6.00 | 6.00 | 12.00 | 1783.00 | 9.3351 | .09280 | 1.28259 | 1.645 |
| Valid N (listwise) | 191 | | | | | | | | |

Frequencies**Statistics**

| PENGALAMAIN TER | | |
|--------------------|---------|---------|
| N | Valid | 191 |
| | Missing | 0 |
| Mean | | 9.3351 |
| Std. Error of Mean | | .09280 |
| Median | | 9.0000 |
| Mode | | 9.00 |
| Std. Deviation | | 1.28259 |
| Variance | | 1.645 |
| Range | | 6.00 |
| Minimum | | 6.00 |

| | | |
|-------------|----|---------|
| Maximum | | 12.00 |
| Sum | | 1783.00 |
| Percentiles | 25 | 9.0000 |
| | 50 | 9.0000 |
| | 75 | 10.0000 |

PENGALAMAINTER

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 6.00 | 3 | 1.6 | 1.6 | 1.6 |
| | 7.00 | 7 | 3.7 | 3.7 | 5.2 |
| | 8.00 | 37 | 19.4 | 19.4 | 24.6 |
| | 9.00 | 67 | 35.1 | 35.1 | 59.7 |
| | 10.00 | 42 | 22.0 | 22.0 | 81.7 |
| | 11.00 | 23 | 12.0 | 12.0 | 93.7 |
| | 12.00 | 12 | 6.3 | 6.3 | 100.0 |
| | Total | 191 | 100.0 | 100.0 | |

Frequencies

Statistics

KATEGORISASI

| | | |
|---|---------|-----|
| N | Valid | 191 |
| | Missing | 0 |

KATEGORISASI

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|--------|-----------|---------|---------------|--------------------|
| Valid | >10,5 | 35 | 18.3 | 18.3 | 18.3 |
| | 9-10,5 | 109 | 57.1 | 57.1 | 75.4 |
| | 7,5-<9 | 39 | 20.4 | 20.4 | 95.8 |
| | <7,5 | 8 | 4.2 | 4.2 | 100.0 |

KATEGORISASI

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|--------|-----------|---------|---------------|--------------------|
| Valid | >10,5 | 35 | 18.3 | 18.3 | 18.3 |
| | 9-10,5 | 109 | 57.1 | 57.1 | 75.4 |
| | 7,5-<9 | 39 | 20.4 | 20.4 | 95.8 |
| | <7,5 | 8 | 4.2 | 4.2 | 100.0 |
| | Total | 191 | 100.0 | 100.0 | |

2. Faktor Eksternal**a. Obyek Persepsi****Descriptives****Descriptive Statistics**

| | N | Range | Minimum | Maximum | Sum | Mean | | Std. Deviation | Variance |
|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|----------------|-----------|
| | Statistic | Statistic | Statistic | Statistic | Statistic | Statistic | Std. Error | Statistic | Statistic |
| OBYEK | 191 | 14.00 | 9.00 | 23.00 | 3357.00 | 17.5759 | .15876 | 2.19407 | 4.814 |
| Valid N (listwise) | 191 | | | | | | | | |

Frequencies**Statistics**

OBYEK

| | | |
|--------------------|---------|---------|
| N | Valid | 191 |
| | Missing | 0 |
| Mean | | 17.5759 |
| Std. Error of Mean | | .15876 |
| Median | | 18.0000 |
| Mode | | 18.00 |
| Std. Deviation | | 2.19407 |
| Variance | | 4.814 |
| Range | | 14.00 |

| | | |
|-------------|----|---------|
| Minimum | | 9.00 |
| Maximum | | 23.00 |
| Sum | | 3357.00 |
| Percentiles | 25 | 16.0000 |
| | 50 | 18.0000 |
| | 75 | 19.0000 |

OBYEK

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 9.00 | 1 | .5 | .5 | .5 |
| | 12.00 | 2 | 1.0 | 1.0 | 1.6 |
| | 13.00 | 1 | .5 | .5 | 2.1 |
| | 14.00 | 11 | 5.8 | 5.8 | 7.9 |
| | 15.00 | 19 | 9.9 | 9.9 | 17.8 |
| | 16.00 | 22 | 11.5 | 11.5 | 29.3 |
| | 17.00 | 29 | 15.2 | 15.2 | 44.5 |
| | 18.00 | 41 | 21.5 | 21.5 | 66.0 |
| | 19.00 | 35 | 18.3 | 18.3 | 84.3 |
| | 20.00 | 18 | 9.4 | 9.4 | 93.7 |
| | 21.00 | 4 | 2.1 | 2.1 | 95.8 |
| | 22.00 | 4 | 2.1 | 2.1 | 97.9 |
| | 23.00 | 4 | 2.1 | 2.1 | 100.0 |
| | Total | 191 | 100.0 | 100.0 | |

Frequencies

Statistics

KATEGORISASI

| | | |
|---|---------|-----|
| N | Valid | 191 |
| | Missing | 0 |

KATEGORISASI

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-----------|-----------|---------|---------------|--------------------|
| Valid | >19,5 | 30 | 15.7 | 15.7 | 15.7 |
| | 16-19,45 | 152 | 79.6 | 79.6 | 95.3 |
| | 12,55-<16 | 6 | 3.1 | 3.1 | 98.4 |
| | <12,55 | 3 | 1.6 | 1.6 | 100.0 |
| | Total | 191 | 100.0 | 100.0 | |

b. Motivasi Ekstrinsik**Descriptives****Descriptive Statistics**

| | N | Range | Minimu | Maximu | Sum | Mean | | Std. | Variance |
|--------------------|-----|-------|-----------|-----------|---------|-----------|--------|-----------|----------|
| | | | m | m | | Statistic | Std. | Deviation | |
| | | | Statistic | Statistic | | Statistic | Error | Statistic | |
| MOTIVASIEKSTER | 191 | 5.00 | 3.00 | 8.00 | 1096.00 | 5.7382 | .07514 | 1.03850 | 1.078 |
| Valid N (listwise) | 191 | | | | | | | | |

Frequencies**Statistics**

MOTIVASIEKSTER

| | | |
|--------------------|---------|---------|
| N | Valid | 191 |
| | Missing | 0 |
| Mean | | 5.7382 |
| Std. Error of Mean | | .07514 |
| Median | | 6.0000 |
| Mode | | 6.00 |
| Std. Deviation | | 1.03850 |
| Variance | | 1.078 |

| | | |
|-------------|----|---------|
| Range | | 5.00 |
| Minimum | | 3.00 |
| Maximum | | 8.00 |
| Sum | | 1096.00 |
| Percentiles | 25 | 5.0000 |
| | 50 | 6.0000 |
| | 75 | 6.0000 |

MOTIVASIEKSTER

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|------|-----------|---------|---------------|--------------------|
| Valid | 3.00 | 5 | 2.6 | 2.6 | 2.6 |
| | 4.00 | 16 | 8.4 | 8.4 | 11.0 |
| | 5.00 | 49 | 25.7 | 25.7 | 36.6 |
| | 6.00 | 82 | 42.9 | 42.9 | 79.6 |
| | 7.00 | 32 | 16.8 | 16.8 | 96.3 |
| | 8.00 | 7 | 3.7 | 3.7 | 100.0 |
| Total | | 191 | 100.0 | 100.0 | |

Frequencies

Statistics

KATEGORISASI

| | | |
|---|---------|-----|
| N | Valid | 191 |
| | Missing | 0 |

KATEGORISASI

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-----------|-----------|---------|---------------|--------------------|
| Valid | >6,74 | 39 | 20.4 | 20.4 | 20.4 |
| | 5,5-6,74 | 82 | 42.9 | 42.9 | 63.4 |
| | 4,26-<5,5 | 49 | 25.7 | 25.7 | 89.0 |
| | <4,26 | 21 | 11.0 | 11.0 | 100.0 |

KATEGORISASI

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-----------|-----------|---------|---------------|--------------------|
| Valid | >6,74 | 39 | 20.4 | 20.4 | 20.4 |
| | 5,5-6,74 | 82 | 42.9 | 42.9 | 63.4 |
| | 4,26-<5,5 | 49 | 25.7 | 25.7 | 89.0 |
| | <4,26 | 21 | 11.0 | 11.0 | 100.0 |
| | Total | 191 | 100.0 | 100.0 | |

c. Lingkungan**Descriptives****Descriptive Statistics**

| | N | Range | Minimum | Maximum | Sum | Mean | | Std. Deviation | Variance |
|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|----------------|-----------|
| | Statistic | Statistic | Statistic | Statistic | Statistic | Statistic | Std. Error | Statistic | Statistic |
| | c | c | Statistic | Statistic | c | c | Error | Statistic | c |
| LINGKUNGAN | 191 | 18.00 | 12.00 | 30.00 | 4376.00 | 22.9110 | .212810 | 2.94108 | 8.6500 |
| Valid N (listwise) | 191 | | | | | | | | |

Frequencies**Statistics**

LINGKUNGAN

| | | |
|--------------------|---------|---------|
| N | Valid | 191 |
| | Missing | 0 |
| Mean | | 22.9110 |
| Std. Error of Mean | | .21281 |
| Median | | 23.0000 |
| Mode | | 24.00 |
| Std. Deviation | | 2.94108 |
| Variance | | 8.650 |

| | | |
|-------------|----|---------|
| Range | | 18.00 |
| Minimum | | 12.00 |
| Maximum | | 30.00 |
| Sum | | 4376.00 |
| Percentiles | 25 | 21.0000 |
| | 50 | 23.0000 |
| | 75 | 25.0000 |

LINGKUNGAN

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 12.00 | 1 | .5 | .5 | .5 |
| | 14.00 | 1 | .5 | .5 | 1.0 |
| | 17.00 | 5 | 2.6 | 2.6 | 3.7 |
| | 18.00 | 8 | 4.2 | 4.2 | 7.9 |
| | 19.00 | 9 | 4.7 | 4.7 | 12.6 |
| | 20.00 | 12 | 6.3 | 6.3 | 18.8 |
| | 21.00 | 16 | 8.4 | 8.4 | 27.2 |
| | 22.00 | 29 | 15.2 | 15.2 | 42.4 |
| | 23.00 | 27 | 14.1 | 14.1 | 56.5 |
| | 24.00 | 32 | 16.8 | 16.8 | 73.3 |
| | 25.00 | 19 | 9.9 | 9.9 | 83.2 |
| | 26.00 | 8 | 4.2 | 4.2 | 87.4 |
| | 27.00 | 12 | 6.3 | 6.3 | 93.7 |
| | 28.00 | 9 | 4.7 | 4.7 | 98.4 |
| | 29.00 | 2 | 1.0 | 1.0 | 99.5 |
| | 30.00 | 1 | .5 | .5 | 100.0 |
| | Total | 191 | 100.0 | 100.0 | |

Frequencies

Statistics

KATEGORISASI

| | | |
|---|---------|-----|
| N | Valid | 191 |
| | Missing | 0 |

KATEGORISASI

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|----------|-----------|---------|---------------|--------------------|
| Valid | >25,5 | 32 | 16.8 | 16.8 | 16.8 |
| | 21-25,5 | 123 | 64.4 | 64.4 | 81.2 |
| | 16,5-<21 | 35 | 18.3 | 18.3 | 99.5 |
| | <16,5 | 1 | .5 | .5 | 100.0 |
| | Total | 191 | 100.0 | 100.0 | |