

Uji Validitas

Correlations

	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	P13	P14	P15
Pearson Correlation	.596*	.613*	.564*	.463*	.472*	.385*	.165*	.519*	.483*	.401*	.519*	.381*	.401*	.474*	.135*
Sig. (2-tailed)	.001	.023	.048	.010	.008	.036	.448	.003	.007	.028	.003	.038	.028	.008	.348
N	242	242	242	242	242	242	242	242	242	242	242	242	242	242	242
Kesimpulan	VALID	VALID	VALID	VALID	VALID	VALID	TDK VALID	VALID	VALID	VALID	VALID	VALID	VALID	VALID	TDK VALID

	P16	P17	P18	P19	P20	P21	P22	P23	P24	P25	P26	P27	P28	P29	P30
Pearson Correlation	.770*	.668*	.523*	.412*	.411*	.494*	.553*	.575	.453*	.165*	.568*	.401*	.463*	.531*	.553*
Sig. (2-tailed)	.044	.045	.003	.024	.024	.005	.002	.006	.012	.448	.005	.028	.010	.003	.002
N	242	242	242	242	242	242	242	242	242	242	242	242	242	242	242
Kesimpulan	VALID	VALID	VALID	VALID	VALID	VALID	VALID	VALID	VALID	TDK VALID	VALID	VALID	VALID	VALID	VALID

	P31	P32	P33	P34	P35	P36	P37	P38	P39	P40	P41	P42	P43
Pearson Correlation	.670*	.197*	.623*	.553*	.511*	.574*	.593*	.112*	.566*	.675	.697*	.501*	.663*
Sig. (2-tailed)	.024	.305	.013	.002	.014	.006	.0102	.424	.017	.006	.025	.018	.013
N	242	242	242	242	242	242	242	242	242	242	242	242	242
Kesimpulan	VALID	TDK VALID	VALID	VALID	VALID	VALID	VALID	TDK VALID	VALID	VALID	VALID	VALID	VALID

*. Correlation is significant at the 0.05 level (2-tailed).

Kriteria keputusan:

- Jika sig. (2-tailed) < 0.05 = valid
- Jika sig. (2-tailed) > 0.05 = tidak valid/ gugur

UjiReliabilitas

Case Processing Summary

		N	%
Cases	Valid	30	100.0
	Excluded ^a	0	.0
	Total	30	100.0

a. Listwise deletion based on all Variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.764	31