

```

EXAMINE VARIABLES=VAR00002 VAR00001
  /PLOT BOXPLOT STEMLEAF NPLOT
  /COMPARE GROUP
  /STATISTICS DESCRIPTIVES
  /CINTERVAL 95
  /MISSING LISTWISE

  /NOTOTAL.

DESCRIPTIVES VARIABLES=VAR00001

  /STATISTICS=MEAN STDDEV MIN MAX.

DESCRIPTIVES VARIABLES=VAR00002

  /STATISTICS=MEAN STDDEV MIN MAX.

CORRELATIONS
  /VARIABLES=VAR00001 VAR00002
  /PRINT=TWOTAIL NOSIG
  /STATISTICS DESCRIPTIVES

  /MISSING=PAIRWISE.

SAVE OUTFILE='E:\skripsi heru\uji data\data fix 4.sav'

  /COMPRESSED.

```

Correlations

Notes		
Output Created		14-May-2014 21:41:48
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	49
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.

Syntax		CORRELATIONS	
		/VARIABLES=VAR00001 VAR00002	
		/PRINT=TWOTAIL NOSIG	
		/STATISTICS DESCRIPTIVES	
		/MISSING=PAIRWISE.	
Resources	Processor Time		00:00:00.032
	Elapsed Time		00:00:00.012

[DataSet1]

Descriptive Statistics

	Mean	Std. Deviation	N
masa kerja	20.72	7.619	25
pengetahuan UKS	21.52	3.991	25

orrelations

		masa kerja	pengetahuan UKS
masa kerja	Pearson Correlation	1	.720**
	Sig. (2-tailed)		.000
	N	25	25
pengetahuan UKS	Pearson Correlation	.720**	1
	Sig. (2-tailed)	.000	
	N	25	25

** . Correlation is significant at the 0.01 level (2-tailed).

Descriptives

Notes

Output Created		14-May-2014 21:40:54
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	49
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=VAR00002 /STATISTICS=MEAN STDDEV MIN MAX.
Resources	Processor Time	00:00:00.000
	Elapsed Time	00:00:00.003

[DataSet1]

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
pengetahuan UKS	25	12	27	21.52	3.991
Valid N (listwise)	25				

Descriptives

Notes

Output Created		14-May-2014 21:40:37
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	49
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=VAR00001 /STATISTICS=MEAN STDDEV MIN MAX.
Resources	Processor Time	00:00:00.031
	Elapsed Time	00:00:00.004

[DataSet1]

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
masa kerja	25	5	29	20.72	7.619
Valid N (listwise)	25				

Explore

Notes

Output Created		14-May-2014 21:39:53
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	49
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax		EXAMINE VARIABLES=VAR00002 VAR00001 /PLOT BOXPLOT STEMLEAF NPLOT /COMPARE GROUP /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.
Resources	Processor Time	00:00:01.263
	Elapsed Time	00:00:01.105

[DataSet1]

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pengetahuan UKS	25	51.0%	24	49.0%	49	100.0%
masa kerja	25	51.0%	24	49.0%	49	100.0%

Descriptives

		Statistic	Std. Error
pengetahuan UKS	Mean	21.52	.798
	95% Confidence Interval for Mean	Lower Bound 23.17	
		Upper Bound 19.87	
	5% Trimmed Mean	21.74	
	Median	23.00	
	Variance	15.927	
	Std. Deviation	3.991	
	Minimum	12	
	Maximum	27	
	Range	15	
	Interquartile Range	6	
	Skewness	-.935	.464
	Kurtosis	.391	.902
masa kerja	Mean	20.76	1.533
	95% Confidence Interval for Mean	Lower Bound 23.92	
		Upper Bound 17.60	
	5% Trimmed Mean	21.10	
	Median	23.00	
	Variance	58.773	
	Std. Deviation	7.666	
Minimum	5		

Maximum	30	
Range	25	
Interquartile Range	14	
Skewness	-.738	.464
Kurtosis	-.762	.902

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
pengetahuan UKS	.165	25	.079	.918	25	.045
masa kerja	.204	25	.009	.888	25	.010

a. Lilliefors Significance Correction


masa kerja

masa kerja Stem-and-Leaf Plot


Frequency	Stem & Leaf
.00	0 .
4.00	0 . 5889
2.00	1 . 33
2.00	1 . 55
7.00	2 . 1222344
9.00	2 . 556788899
1.00	3 . 0


Stem width: 10
Each leaf: 1 case(s)

Normal Q-Q Plot of masa kerja



Detrended Normal Q-Q Plot of masa kerja






pengetahuan UKS

pengetahuan UKS Stem-and-Leaf Plot

Frequency	Stem &	Leaf
1.00	Extremes	(=<12)
1.00	1 .	3
1.00	1 .	5
.00	1 .	
3.00	1 .	889
6.00	2 .	001111
4.00	2 .	3333
6.00	2 .	445555
3.00	2 .	667

Stem width: 10
 Each leaf: 1 case(s)

Normal Q-Q Plot of pengetahuan UKS



Detrended Normal Q-Q Plot of pengetahuan UKS

