

Lampiran 6. Uji Normalitas

UJI NORMALITAS

NPar Tests

Chi-Square Test

Frequencies

TinggiBadan

	Observed N	Expected N	Residual
158,00	2	1.7	.3
159,00	3	1.7	1.3
159,50	1	1.7	-.7
160,00	3	1.7	1.3
162,50	1	1.7	-.7
163,00	3	1.7	1.3
163,30	1	1.7	-.7
164,00	1	1.7	-.7
164,30	1	1.7	-.7
165,00	1	1.7	-.7
166,00	2	1.7	.3
167,20	1	1.7	-.7
Total	20		

KecepatanLari

	Observed N	Expected N	Residual
2,21	3	1.8	1.2
2,25	1	1.8	-.8
2,29	1	1.8	-.8
2,30	2	1.8	.2
2,39	1	1.8	-.8
2,43	1	1.8	-.8
2,47	1	1.8	-.8
2,48	6	1.8	4.2
2,52	1	1.8	-.8
2,57	2	1.8	.2
2,70	1	1.8	-.8
Total	20		

Kelincahan

	Observed N	Expected N	Residual
18,89	1	1.2	-.2
18,90	1	1.2	-.2
19,25	1	1.2	-.2
19,27	1	1.2	-.2
19,28	1	1.2	-.2
19,54	1	1.2	-.2
19,56	1	1.2	-.2
19,62	1	1.2	-.2
19,63	1	1.2	-.2
19,72	2	1.2	.8
19,74	1	1.2	-.2
19,78	2	1.2	.8
19,81	1	1.2	-.2
19,88	1	1.2	-.2
20,08	1	1.2	-.2
20,10	2	1.2	.8
20,12	1	1.2	-.2
Total	20		

Dribling

	Observed N	Expected N	Residual
20,00	1	2.9	-1.9
21,00	1	2.9	-1.9
22,00	7	2.9	4.1
23,00	5	2.9	2.1
24,00	3	2.9	.1
25,00	2	2.9	-.9
26,00	1	2.9	-1.9
Total	20		

Test Statistics

	TinggiBadan	KecepatanLari	Kelincahan	Dribling
Chi-Square	5.200 ^a	13.000 ^b	2.100 ^c	11.500 ^d
df	11	10	16	6
Asymp. Sig.	.921	.224	1.000	.074

- a. 12 cells (100,0%) have expected frequencies less than 5. The minimum expected cell frequency is 1,7.
- b. 11 cells (100,0%) have expected frequencies less than 5. The minimum expected cell frequency is 1,8.
- c. 17 cells (100,0%) have expected frequencies less than 5. The minimum expected cell frequency is 1,2.
- d. 7 cells (100,0%) have expected frequencies less than 5. The minimum expected cell frequency is 2,9.